



9	KC	46	56C	10.78	8.66	6.94	4.68	2.15	1.19	2.15	4.68	3.20	3.20	6.55
8	KCR	49	56C	11.38	9.26	7.54	4.90	2.40	1.79	2.40	4.90	3.38	3.38	7.15
7	KCR	48	56C	12.66	10.54	7.61	4.90	2.40	1.86	2.15	4.59	3.38	3.12	8.43
6	KCR	49	56C	13.86	11.74	8.19	4.68	2.15	2.44	2.72	5.27	3.20	3.66	9.63
5	KC	49	56C	11.38	9.26	7.66	4.68	2.15	1.79	2.72	5.27	3.20	3.66	7.15
4	KCR	48	56C	12.66	10.54	7.61	4.68	2.15	1.86	2.72	5.27	3.20	3.66	8.43
3	KCR	49	56C	11.38	9.26	7.54	4.68	2.15	1.79	2.40	4.90	3.20	3.38	7.15
2	KCR	46	56C	10.78	8.66	6.94	4.68	2.15	1.19	2.40	4.90	3.20	3.38	6.55
1	KCR	49	56C	11.91	9.79	8.07	4.68	2.15	2.32	2.40	4.90	3.20	3.38	7.68
P	TYPE	GE SIZE	NEMA FR	"C"	"AG"	"XH"	"YR"	"XR"	"XS"	"ZA"	"ZB"	"ZC"	"ZD"	MIN. SHELL

FOR ADDITIONAL INFO REFER TO: APPLIED PRACTICES DIMENSIONS ARE IN INCHES ✓ MATERIAL	SIGNATURES	DATE	<p>REGAL-BELOIT CORPORATION</p> <p>TITLE</p> <p>OUTLINE</p> <p>FMF: 40 FRAME REDSIGN - GENERAL PURPOSE MOTOR</p> <p>- DRIP PROOF - BALL BEARING - R2 END MOUNTED</p>
	MODEL		
	DETAIL	M.D.PAPE 04/23/91	
	CHECKED		
	ENGRG		
ISSUED	M.D.PAPE 01/04/02	SIZE DRAWING	REV
	SOLID MODEL: 52A107672	A	52A107672 10
		SCALE: 1.000	REF. No: .
			SHEET 1 of 1