



DASH NO.	"C"	"AD"
800	13.37	6.47
850	13.87	6.97
900	14.37	7.47
950	14.87	7.97

MAXIMUM FACE RUNOUT TO BE .004 T.I.R.
 MAXIMUM PILOT ECCENTRICITY .004 T.I.R.
 PERMISSIBLE SHAFT RUNOUT .002 T.I.R.

ALL-STAINLESS
 VITON CONDUIT BOX & COVER GASKETS
 VITON O-RINGS IN ENDBELL RABBETS & UNDER THRU BOLT HEADS
 VITON SHAFT SEALS
 BREATHER PLUGS IN CONDUIT BOX & L.E. ENDBELL
 ALL STAINLESS STEEL CONSTRUCTION

ORACLE REV	02
------------	----

				TOLERANCES UNLESS SPECIFIED				DRAWN PVR 10/22/13	
				DEC.	INCHES			CHK JD 10/22/13	
				.X	±.1	APPD		SCALE 1=2	
				.XX	±.03	TITLE		REF 028622	
				.XXX	±.005	OUTLINE - 140TC FRAME		FMF 145TBWD4328	
				.XXX	±.0005	TEFC - RIGID "C"		PREV	
D	REVISED BASE PER ECO-0090057	ARV 2/5/16	SK	.XXXX	±.0005	MAT'L.	STAINLESS STEEL DUCK		
NO.	REVISION	BY & DATE	CHK	ANG	±1/2"	FINISH			
			RFP			CAD FILE	028622ME	SIZE	DRAWING NO.
			DIST					B	028622ME
									D

THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT