



- NOTES:
 1. BOX CAN BE ROTATED IN 90° STEPS.
 2. BOX CAN BE MOUNTED ON OPPOSITE SIDE BY REMOVING BRACKETS AND TURNING FRAME 180°.

DASH	FRAME	B	2F	2FF	2FFF	BS	C	AG
725	213T	7.00	5.50	-	-	2.75	15.68	12.30
875	215T	8.50	7.00	-	-	3.50	17.18	13.08
875	213/5T	8.50	7.00	5.50	5.50	3.50	17.18	13.80
1000	213T	9.75	8.25	5.50	5.50	4.12	18.43	15.05
1000	215T	9.75	8.25	7.00	7.00	4.12	18.43	15.05

		TOLERANCES UNLESS SPECIFIED		MARATHON ELECTRIC		DRAWN BLR 09-30-1999	
		DEC.	INCHES			CHK	DRS 10-01-1999
3	REDRAWN IN AUTOCAD	TAT	06-29-2004	ML	.XX ±.03	TITLE OUTLINE	
2	REVISED BACK TO ORIGINAL, NO C' FACE	CN	28426	CAV	03-29-2000	210 FR. - TENV - CAST CONDUIT BOX	
1	NEW DRAWING	BLR	10-01-1999		.XXX ±.005	SCALE 5-16	
NO.	REVISION	BY & DATE	CHK	ANG	±7'30"	REF	
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT				RFP	CAD FILE ss85995a	SIZE	DRAWING NO. PAGE OF REV.
				DIST	LB	B	SS85995A 3