



NOTES:

- 1) END CAP MOUNTING FEET TO BE PARALLEL TO EACH OTHER WITHIN .002.
- 2) GASKETS BETWEEN FRAME AND ENDBELLS, CONDUIT BOX AND FRAME, AND CONDUIT BOX COVER AND CONDUIT BOX.

M1120182.00	6.57	6.05	8.07	12	1/8	1750
M1120184.00	8.07	7.55	9.57	12	1/6	1750
CATALOG NO.	"AG" DIM	"B" DIM	"C" DIM	VOLT	H.P.	RPM

04	1/2 NPT CONDUIT PLUG QTY. WAS 3. ISAAC 08-3457	RPB	7/29/08	BC	UNLESS SPECIFIED		ELECTRIC MOTORS GEARMOTORS AND DRIVES	DRAWN	IPG 4/6/05			
03	REMOVED (2) O-RINGS FROM INSIDE OF BRUSH HOLDERS.				DEC.			INCHES	CHK	SAD 4/6/05		
	CHANGED BRUSH CAPS & ADDED TEFLON. ECN 07-4097	RPB	11/20/07	BC	.X	±.1	APPD					
02	ADDED LEAD LENGTH, CLARIFIED NOTE 2, ECR 86549	IPG	4/12/05	SAD	.XX	±.03	SCALE	5=8				
01	ADDED CAT. # M1120182.00 TO TABLE	IPG	4/7/05	SAD	.XXX	±.005	TITLE	OUTLINE 31 FRAME DC				
00	RELEASED: REF. M1030965.00 & PR040116-RD1	IPG	4/6/05	SAD	.XXXX	±.0005	MAT'L	REF	PR040116-RD1			
NO.	REVISION	BY & DATE	CHK	ANG	±1/2'	FINISH	PREV	FMF	M1120184.00			
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK. ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED. THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT							RFP	CAD FILE	M1030969	SIZE	DRAWING NO.	REV.
							DIST			B	M1030969.00	04