


(1) Ø1.13 CONDUIT HOLE (PLUGGED)

.31 SQ. X 2.75 KEY

(1) Ø1.38 CONDUIT HOLE PLUGGED

DRAIN HOLE (BOTH ENDS)

|  |  |           |          |                  |   |          |   |          |             |      |
|--|--|-----------|----------|------------------|---|----------|---|----------|-------------|------|
| 04   | 4 HOLES ADDED TO DE BRACKET PER ISAAC 09-4736    | AK        | 11/03/09 | UNLESS SPECIFIED |  ELECTRIC MOTORS<br>GEARMOTORS<br>AND DRIVES | DRAWN    | RDW   | 06/28/00 |             |      |
| 03   | ADDED WIRING INS. DECAL PER ECR 91408            | JWM       | 8/13/07  | DEC.             |   | INCHES   | CHK   |          |             |      |
| 02   | REMOVED "LEESON" GEOMETRY FROM COVER EFF10.01.01 | BPW       | 06/11/01 | .X               |   | ±.1      | APPD  | DWF      | 06/28/00    |      |
| 01   | 8.75 WAS 8.38, (1) Ø1.13 & (1) Ø1.38 CON HOLES   | BPW       | 02/09/01 | .XX              |   | ±.03     | TITLE   |          | SCALE 3=8   |      |
|  | WERE (2) Ø1.38 CON HOLES, 8.11 WAS 8.23, 6.63    |           |          | .XXX             |   | ±.005    | OUTLINE - T215TZ FRAME<br>OPEN DRIP PROOF - RIGID |          | REF 037549  |      |
|  | WAS 6.69, EFF PER CON BOX REV                    |           |          | .XXXX            | ±.0005  | MAT'L    |   | FMF      |             |      |
| NO.  | REVISION   | BY & DATE | CHK      | ANG              | ±1/2"   | FINISH   | SUKUP   | PREV     |             |      |
| THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT |  |           |          | RFP              | 06/28/00  | CAD FILE | OL140311  | SIZE     | DRAWING NO. | REV. |
|  |  |           | DIST     |                  |   |          | B   | OL140311 | 04          |      |