


STAINLESS STEEL WASHGUARD MOTOR
SPECIAL FEATURES:

- 1) VITON CONDUIT BOX & COVER GASKETS.
- 2) VITON O-RINGS IN ENDBELL RABBETS.
- 3) VITON O-RINGS IN BRUSH HOLDER & CAP.
- 4) VITON SHAFT SEAL.
- 5) BREATHER PLUGS IN CONDUIT BOX & ENDBELL.
- 6) ETCHED NAMEPLATE DATA ON MOTOR FRAME.
- 7) ALL-STAINLESS STEEL CONSTRUCTION.
- 8) DIMENSION IS SPACE PROVIDED FOR A BOLT-ON B5 OR B14 ADAPTER KIT FOR IEC-80 FRAME.

FRAME	"C"	"AD"
N80	11.81	6.66
R80	12.31	7.16
U80	12.81	7.66

NO.	REVISION	BY & DATE	CHK	ANG	TOLERANCES UNLESS SPECIFIED		TITLE	DRAWN	PG		
					DEC.	INCHES					
					.X	±.1	 ELECTRIC MOTORS GEARMOTORS AND DRIVES	PG 1/5/05			
02	CORRECTED LOCATION OF BREATHER PLUG AND PG-16 HOLE TO MATCH ENDBELL ASSEMBLY, ISAAC 12-032B	IPG 1/25/12			.XX	±.03		OUTLINE - IEC-80 FRAME RIGID METRIC FACE MOUNT - TENV	CHK		
01	ADDED FRAME DESIGNATION TO TABLE, PER 109068.00	IPG 1/27/05	SAD	.XXXX	±.0005	MAT'L		STAINLESS STEEL MOTOR	APPD	PG 1/5/05	
						±1/2'	FINISH	SCALE	1-2		
							CAD FILE	031793	REF	031791	
								FMF	109068.00		
								PREV			
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT							RFP		SIZE	DRAWING NO.	REV.
							DIST		B	031793	02