



DASH NO.	"C"	"AD"
800	13.37	9.23
850	13.87	9.73
900	14.37	10.23
950	14.87	10.73

MAXIMUM FACE RUNOUT TO BE .004 T.I.R.  
 MAXIMUM PILOT ECCENTRICITY .004 T.I.R.  
 PERMISSIBLE SHAFT RUNOUT .002 T.I.R.

**ALL-STAINLESS**  
 VITON CONDUIT BOX & COVER GASKETS  
 VITON O-RINGS IN ENDBELL RABBETS & UNDER THRU BOLT HEADS  
 VITON SHAFT SEALS  
 BREATHING PLUGS IN CONDUIT BOX & L.E. ENDBELL  
 ALL STAINLESS STEEL CONSTRUCTION

NO.		REVISION	BY & DATE	CHK	ANG	FINISH	TOLERANCES UNLESS SPECIFIED			DRAWN	LST	
							DEC.	INCHES		CHK		
							.X	±.1		TITLE	8/21/13	
							.XX	±.03		OUTLINE - 140TC FRAME	APPD	
							.XXX	±.005	TEFC - "C" FACE	SCALE	1=2	
							.XXXX	±.0005	MAT'L.	REF		
									STAINLESS STEEL DUCK	FMF		
										PREV		
							RFP		CAD FILE	028623	SIZE	DRAWING NO.
							DIST				B	028623ME
												REV.