



- NOTES:
 1. BOX CAN ONLY BE ROTATED CLOCKWISE UP TO 270° FROM ITS ORIGINAL POSITION.
 2. NAMEPLATE TO BE READ FROM CONDUIT BOX SIDE OF MOTOR.

DASH	FRAME	C	B	2F	2XF	BS
1275	284T	26.26	11.50	9.50	--	4.75
1425	286T	27.76	13.00	11.00	9.50	5.50

5	SHOW DASH-1425 8 MTG. HOLE FRAME PER CN39442	RWR 10-12-2006	ML	TOLERANCES UNLESS SPECIFIED		DRAWN DA 03-17-1999				
4	ADDED F2 VIEW MU38528	HLB 09-12-2001	DEC.	INCHES		CHK ML 04-15-1999				
3	UPDATED C'BOX GEOMETRY PER CAST CHANGE CN 29010	DRS 01-31-2000	.X	±.1	APPD SW 04-15-1999	SCALE 1=4.5				
2	REV'D PER UPDATED CONDUIT BOX CN 27400-239	DA 07-12-1999	.XX	±.03	TITLE OUTLINE - AUX C'BOX	REF				
1	NEW DRAWING DES/DEV	DA 04-15-1999	.XXX	±.005	280T FR. - BB - STD - 11.00 LAM.	FMF				
1	NEW DRAWING - DEV. ENG.	SMC 04-23-1999	.XXXX	±.0005	MAT'L	PREV				
NO.	REVISION	BY & DATE	CHK	ANG ±7'30"	FINISH					
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT					RFP	CAD FILE ss311005	SIZE B	DRAWING NO. SS311005	PAGE OF 5	REV. 5
					DIST LB					