



- NOTES:  
 1. CONDUIT BOX BE ROTATED IN 90° STEPS.  
 2. NAMEPLATE TO BE READ FROM CONDUIT BOX SIDE OF MOTOR.  
 3. CONDUIT BOX CAN BE MOUNTED ON OPPOSITE SIDE BY REMOVING BRACKETS AND TURNING FRAME 180°.

DASH	FRAME	B	C	2F	2XF	BS
1475	324T	14.00	28.97	10.50		5.25
1625	324/6T	14.00	30.47	12.00	10.50	6.00

		TOLERANCES UNLESS SPECIFIED		MARATHON ELECTRIC		DRAWN NJS 11-07-2000	
		DEC.	INCHES			CHK	ML 11-07-2000
3	REDRAWN IN AUTOCAD	TAT	06-29-2004	ML	.XX ±.03	TITLE OUTLINE - TFPA	
2	DASH 1475 (B) 14.00 WAS 12.50 CN 29200-1468	HLB	02-26-2001		.XXX ±.005	320 FR - BB - STD. - 12.50 LAM	
1	NEW DRAWING	NJS	11-07-2000		.XXXX ±.0005	MATL	
NO.	REVISION	BY & DATE	CHK	ANG	FINISH	PREV	
			RFP	±7'30"	CAD FILE ss311081	SIZE	DRAWING NO. PAGE OF REV.
	THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT					B	SS311081 3
			DIST	LB			