



- NOTES:
 1. CONDUIT BOX CAN BE ROTATED IN 90° STEPS.
 2. CONDUIT BOX CAN BE MOUNTED ON OPPOSITE SIDE BY REMOVING BRACKETS AND TURNING FRAME 180°.
 3. NAMEPLATES TO BE READ FROM CONDUIT BOX SIDE OF MOTOR.
 4. DIMENSION IN [] DESIGNATE MILLIMETERS.

DASH	FRAME	B	C	AG	2F	2FF	BS
1050	254TC	10.25 [260.35]	31.56 [801.62]	19.43 [493.52]	---	8.25 [209.55]	4.12 [104.65]
1225	254/256TC	12.00 [304.80]	33.31 [846.07]	21.18 [537.97]	8.25 [209.55]	10.00 [254.00]	5.00 [127.00]
1425	256TC	14.00 [355.60]	35.31 [896.97]	23.18 [588.80]	10.00 [254.00]	---	6.01 [152.59]

DRAWING REVISION J	REVISION BY JJB	DATE 06-12-2017
ECO ECO-0124612	APPROVED BY T VUE	DATE 06-12-2017
ECO DESCRIPTION ADDED DASH 1050 & 1225 TO TABLE		
<small>COPYRIGHT REGAL BELOIT AMERICA, INC. ALL RIGHTS RESERVED. PROPRIETARY AND CONFIDENTIAL INFORMATION - THIS DOCUMENT IS THE PROPERTY OF REGAL BELOIT AMERICA, INC. ("OWNER") AND CONTAINS OWNER'S PROPRIETARY INFORMATION. ANY PERSON, CORPORATION OR OTHER FIRM RECEIVING IT IS DEEMED, BY RECEIVING IT, TO AGREE THAT IT, AND/OR ANY PART OF IT, SHALL NOT BE DISCLOSED TO ANY PERSON, CORPORATION OR OTHER ENTITY, DUPLICATED, AND/OR USED, EXCEPT AS EXPRESSLY APPROVED IN WRITING IN ADVANCE BY OWNER. THIS DOCUMENT SHALL BE RETURNED TO OWNER UPON REQUEST. IT MAY BE SUBJECT TO CERTAIN RESTRICTIONS UNDER APPLICABLE EXPORT CONTROL LAWS AND REGULATIONS.</small>		

TOLERANCES UNLESS OTHERWISE SPECIFIED:			
DEC.	INCH	mm	ANGLE
.X	±0.1	[±2.5]	±7° 30"
.XX	±0.03	[±0.76]	
.XXX	±0.005	[±0.127]	
.XXXX	±0.0005	[±0.0127]	
REMOVE BURRS & BREAK SHARP EDGES: .003/.015 [0.076/.381] X 45° CORNER FILLETS: R.02 [51] MACHINED SURFACES: 200 INCH/mm 5.1			
mm SHOWN IN [BRACKETS]			

DRAWN BY RWR	DATE 04-30-2004
APPROVED BY TLB	DATE 05-10-2004
REFERENCE	
THIRD ANGLE PROJECTION	

REGAL ™ Regal Beloit America, Inc.	
DESCRIPTION OUTLINE 250TC FR. - STEARNS BRAKE - PROV. FOR TACH	
MATERIAL	PROCESS/FINISH
SIZE B	DRAWING NUMBER SS203867
	SHEET 1 OF 1