


SS56C1/3M-4

WASHDOWN DUTY MOTOR
 HIGH EFFICIENCY / EISA COMPLIANT
 STAINLESS STEEL CONSTRUCTION - C-FLANGE WITH FEET
 TOTALLY ENCLOSED FAN COOLED - IP66 CONSTRUCTION
 INVERTER DUTY 10:1 CT; 20:1 VT - NEMA MG1 PART 31



DIMENSIONS																	
HP	RPM	Frame	Mounting														
			A	B	C	D	G	H	E	2E	2F1	2F2	P	AK	AJ	AH	
1/3	1800	56C	6.50	5.00	11.59	3.50	0.12	1.22*0.34	2.44	4.88	3.00	0.00	6.50	4.500	5.875	2.06	

Mounting			Shaft Extension, Key Set					Conduit Box				Bearings		Mount		
AG	BA	BB	BC	BF	U	R	S	ES	N-W	AA	AB	AC	BV		DE	ODE
9.53	2.75	0.16	-0.19	4*3/8-16	0.625	0.517	0.188	1.41	1.88	0.86	5.75	4.25	5.30	6205-2RS	6205-2RS	F1

BEARING LUBRICATION: The bearings come lubricated with Mobil Polyrex EM Polyurea Grease.





SS56C1/3M-4

WASHDOWN DUTY MOTOR
HIGH EFFICIENCY / EISA COMPLIANT
STAINLESS STEEL CONSTRUCTION - C-FLANGE WITH FEET
TOTALLY ENCLOSED FAN COOLED - IP66 CONSTRUCTION
INVERTER DUTY 10:1 CT; 20:1 VT - NEMA MG1 PART 31

PERFORMANCE DATA

HP	RPM	Frame	Voltage	Frequency (Hz)	Full Load S.F.	Insulation Class	NEMA Design	Slip (%)	NEMA Code	Enclosure Type	IP Rating	Max. Ambient
1/3	1745	56C	208-230/460	60	1.15	F	B	3.1	K	TEFC	66	40° C

Amps (460V)		Efficiency (%)				Power Factor			Torque (ft-lb)			DE Bearing	ODE Bearing	Connection	Weight (lbs.)
FLA	LRA	100%	75%	50%	Min.	100%	75%	50%	FLT	LRT %	BDT %				
0.6	8.0	82.5	75.0	72.0	80.0	0.71	0.58	0.49	1.0	285	300	6205-2RS	6205-2RS	9 Lead 2Y/Y	28

NAME PLATE

		WASHDOWN DUTY STAINLESS STEEL MOTOR							
INVERTER DUTY 20:1 VT; 10:1 CT				HIGH EFFICIENCY EISA COMPLIANT				CONNECTION DIAGRAMS	
CAT NO: SS56C1/3M-4		FRAME 56C		PHASE 3					
HZ 60	S.F. 1.15	HZ 50	S.F. 1.2	ENCL TEFC	IP 66				
HP 1/3	RPM 1745	HP 1/4	RPM 1450	DUTY CONT	DES B				
VOLTS 208-230/460	VOLTS 190/380		AMB 40° C	INS F					
FLA 1.4 - 1.2 / 0.6	FLA 1/0.5		DE BEARING 6205-2RS						
CODE K	P.F. 0.71	CODE K	P.F. 0.73	ODE BEARING 6205-2RS					
EFF 82.5	MIN 80.0	EFF 80	MIN 77	LUB: Mobil Polyrex EM					
MOTOR WEIGHT 28 LBS	CONNECTION 9 Lead 2Y/Y		SER NO						
Special purpose motor designed for washdown applications and extremely corrosive environments. ISO9001 CERTIFIED CE SP® C US CC 082A Hernando, Mississippi									

APPLICATIONS:

Applications include washdown applications, food processing, chemical processing, pharmaceuticals, poultry processing, meat processing, dairy applications, bakeries, snack foods, bottling and extremely corrosive environments.