


CUSTOMER IS SOLELY RESPONSIBLE FOR
MOTOR PERFORMANCE AND SUITABILITY
IN APPLICATIONS FOR CUSTOMER'S USES

REV	ECO	REV BY	DATE	APPD	DATE
C	0028994	I.ORTIZ	10-16-2012	M.AVILA	10-16-2012

DA3F7623K#

END PLAY .005 MIN - .040 MAX



ROT.:— CWSE—CCWLE REV.: [NEW] REV. DATE: 10-6-98 CUST.: AFTERMARKET


NAMEPLATE DATA:



Tipp City, OH
THERMALLY PROTECTED

SER. DATE & PO# PLT LTR MOD DA3F623K# STK NO 326
VOLTS 115 HZ 60 AMPS 5.2
RPM1050 SP PH1 CAP
INS CL AMB °C HP 1/7 CONT A.O. ←ROTATION→
BRG SLV

ASSEMBLED IN MEXICO



GEOMETRIC CHARACTERISTICS & SYMBOLS

□ FLATNESS
— STRAIGHTNESS
∠ ANGULARITY
⊥ PERPENDICULARITY (SQUARENESS)
// PARALLELISM
○ ROUNDNESS (CIRCULARITY)
⊘ CYLINDRICITY
△ PROFILE OF ANY SURFACE
⌒ PROFILE OF ANY LINE
⌀ RUNOUT
⊕ TRUE POSITION
◎ CONCENTRICITY
≡ SYMMETRY

ASME Y14.5M 1994

UNLESS OTHERWISE SPECIFIED
DIM. TOLERANCES ARE AS FOLLOWS:

INCH X XX XXX XXXX
mm ±0.5 ±0.13 ±0.013
ANG. ±.50 DEG
REMOVE BURRS & BREAK SHARP EDGES:
INCH .003-.015 mm 0.1-0.4
CORNER FILLETS TO:
INCH .020 mm 0.5
MACHINE SURFACES:
INCH 125 mm 3.2

METRIC DIMS. SHOWN IN [BRACKETS]

DR BY:

APPD:

THIRD ANGLE PROJECTION

EDS DATE 11-11-2011
FORMAT REV H

CONFIDENTIAL: THIS DRAWING AND ITS INFORMATION ARE
THE EXCLUSIVE AND CONFIDENTIAL PROPERTY OF REGAL-
BELOIT CORPORATION AND ARE NOT TO BE DISCLOSED,
DUPLICATED, DISTRIBUTED OR OTHERWISE USED WITHOUT
THE WRITTEN CONSENT OF REGAL-BELOIT CORPORATION.
—ALL RIGHTS RESERVED.

REGAL

REGAL-BELOIT CORPORATION

DESCRIPTION

MODEL—RFHP—42FR
OUTLINE

SIZE

C

DWG NO

DA3F7623

SCALE NONE


SHEET 1

CUSTOMER IS SOLELY RESPONSIBLE FOR
MOTOR PERFORMANCE AND SUITABILITY
IN APPLICATIONS FOR CUSTOMER'S USES

REVISION:	ECO	REVISADO POR:	FECHA:	APROBADO POR:	FECHA:
C	0028994	I.ORTIZ	10-16-2012	M.AVILA	10-16-2012

DA3F7623K#

END PLAY .005 MIN - .040 MAX




ROT.:— CWSE—CCWLE REV.: [NEW] REV. DATE: 10-6-98 CUST.: AFTERMARKET

NAMEPLATE DATA:

Century Tipp City, OH
THERMALLY PROTECTED
SER. DATE & PO# PLT LTR MOD DA3F623K# STK NO 326
VOLTS 115 HZ 60 AMPS 5.2
RPM1050 SP PH1 CAP
INS CL AMB °C HP 1/7 CONT A.O. ←ROTATION→
BRG SLV

ASSEMBLED IN MEXICO



CARACTERISTICAS DE GEOMETRIA Y SIMBOLOS

- PLANICIDAD
- RECTITUD
- ∠ ANGULARIDAD
- ⊥ PERPENDICULARIDAD (A ESCUADRA)
- // PARALELISMO
- REDONDEZ (CIRCULARIDAD)
- ⊘ CILINDRICIDAD
- △ PERFIL DE CUALQUIER SUPERFICIE
- ∧ PERFIL DE CUALQUIER LINEA
- ∇ VARIACION
- ⊕ POSICION REAL
- ⊙ CONCENTRICIDAD
- = SIMETRIA

A MENOS QUE SE ESPECIFIQUE DE OTRA MANERA, LAS TOLERANCIAS DE LAS DIMS: SON LAS SIGUIENTES:

PULG	±.1	±.02	±.005	±.0005
mm	±0.5	±0.13	±0.013	

ANG. ± 50 GRADOS
ELIMINAR REBABAS Y ORILLAS FILOSAS DEL BORDE.

PULG	.003-.015	mm	0.1-0.4
------	-----------	----	---------

FILETEAR ESQUINA: PULG .020 mm 0.5
MAQUINAR SUPERFICIES
PULG 125 mm 3.2

DIMS METRICAS MOSTRADAS [PARENTESIS]

DIBUJADO POR:

APROBADO POR:

TERCER ANGULO DE PROYECCION



FECHA EDS: 11-11-2011
REV. FORMATO: H

CONFIDENCIAL: ESTE DIBUJO Y SU INFORMACION SON PROPIEDAD DE USO EXCLUSIVO Y CONFIDENCIAL DE REGAL-BELOIT CORPORATION. Y NO DEBERAN SER REVELADOS, DUPLICADOS, DISTRIBUIDOS O USARSE DE OTRA MANERA SIN EL CONSENTIMIENTO ESCRITO DE REGAL-BELOIT CORPORATION. -TODOS LOS DERECHOS RESERVADOS.

REGAL**REGAL-BELOIT CORPORATION**

DESCRIPCION:

MODEL-RFHP-42FR
OUTLINE

TAMAÑO: C

NUMERO DE DIBUJO:

DA3F7623

ESCALA:NONE


HOJA: 1

CUSTOMER IS SOLELY RESPONSIBLE FOR
MOTOR PERFORMANCE AND SUITABILITY
IN APPLICATIONS FOR CUSTOMER'S USES

版本	ECO	编制	日期	批准	日期
C	0028994	I.ORTIZ	10-16-2012	M.AVILA	10-16-2012

DA3F7623K#

END PLAY .005 MIN - .040 MAX



ROT.:— CWSE—CCWLE REV.: [NEW] REV. DATE: 10-6-98 CUST.: AFTERMARKET


NAMEPLATE DATA:



Tipp City, OH
THERMALLY PROTECTED

SER. DATE & PO# PLT LTR MOD DA3F623K# STK NO 326
VOLTS 115 HZ 60 AMPS 5.2
RPM1050 SP PH1 CAP
INS CL AMB °C HP 1/7 CONT A.O. ←ROTATION→
BRG SLV

ASSEMBLED IN MEXICO



形位公差
□ 平面度
— 直线度
∠ 倾斜度
⊥ 垂直度
∥ 平行度
○ 圆度
⊙ 圆柱度
△ 面轮廓度
△ 线轮廓度
⌒ 圆跳动
⊕ 位置度
⊗ 同轴度
≡ 对称度

ASME Y14.5M 1994

除另有注明
尺寸公差如下:

英寸 X XX XXX XXXX
毫米 ±.1 ±.02 ±.005 ±.0005
毫米 ±0.5 ±0.13 ±0.013
角度 ±.50 度
清理毛刺和尖棱
英寸 .003-.015 毫米 0.1-0.4
内圆角
英寸 .020 毫米 0.5
表面粗糙度
英制 125 米制 3.2

米制尺寸显示在L

绘图:

批准:

第三角投影



图纸格式发布日期 11-11-2011
图纸格式版本 H

机密: 本图纸及相关信息所有权归REGAL-BELOIT CORPORATION。
未经REGAL-BELOIT CORPORATION书面授权, 不得泄露、
复制、传播或作其他用途。—版权所有

REGAL

REGAL-BELOIT CORPORATION

名称

MODEL-RFHP-42FR
OUTLINE

图幅

C

图号

DA3F7623

比例

NONE

页号

1