



- NOTES:
 1. C. INDICATES - CAPACITOR START
 P. INDICATES - POYPHASE
 S. INDICATES - SPLIT PHASE
 "U" DESIGNATES U.L. RECOGNITION
 2. ON ALL POLYPHASE MODELS LEADS TO EXTEND 6" +1/-0 INTO CONDUIT BOX.
 3. FINISH PAINT TO BE BLACK-SATIN
 4. LIMITS ON AMPLITUDE OF VIBRATION MEASURED AT BEARING HOUSING = .001
 5. CARBON STEEL SHAFT

MOTOR ASSEMBLY	MODEL	HP	VOLTS	CYC.	PHASE	RPM	ROT. P.E.	BEARINGS	THERMOSTAT	FRAME	C	XF	XU	BX	KEY			TYPE *	CHARACTERISTICS	REMARKS
															WIDTH	THICK	LENGTH			
608542-047	BK1052	1/2	115/208-230	60	1	3450	DUAL	SHIELDED BALL	AUTO-RESET	56	10 15/16	OMIT	OMIT	7 3/8	3/16	3/16	1 3/8	U.C.	BLOWER	U.L. APPROVED
608542-054	BK1054	1/2	115/208-230	60	1	1725	DUAL	SHIELDED BALL	AUTO-RESET	56	11 9/16	OMIT	OMIT	8	3/16	3/16	1 3/8	U.C.	BLOWER	
608558-041	BK3052	1/2	230/460	60	3	3450	DUAL	SHIELDED BALL	AUTO-RESET	56	10 15/16	OMIT	OMIT	7 3/8	3/16	3/16	1 3/8	U.P.	NEMA	U.L. APPROVED
608558-061	BK3054	1/2	208-230/460	60	3	1725	DUAL	SHIELDED BALL	AUTO-RESET	56	11 7/16	OMIT	OMIT	7 7/8	3/16	3/16	1 3/8	P	NEMA	
608558-060	BK3074	3/4	208-230/460	60	3	1725	DUAL	SHIELDED BALL	AUTO-RESET	56	11 15/16	5	OMIT	8 3/8	3/16	3/16	1 3/8	U.P.	BLOWER	U.L. APPROVED

DRAWING REVISION W 0051163 ECO DESCRIPTION SBI ON DESCRIPTION ZONE A1 CHANGED	REVISION BY D.MENDOZA DATE 05-13-2014 F.PAYAN	DATE 05-13-2014	TOLERANCES UNLESS OTHERWISE SPECIFIED DEC. INCH DIM. ANGLE .X ±0.1 (±2.5) ±0.5 .XX ±0.02 (±0.51) .XXX ±0.005 (±0.127) .XXXX ±0.0005 (±0.0127)	DRAWN BY: CJP DATE: 11-21-1969 APPROVED BY: HAS DATE: 03-05-1970 PROCESS/FINISH -	REGAL TM Regal Beloit America, Inc. DESCRIPTION MODEL-CFHP-48FR OUTLINE MATERIAL -
<small>PROPRIETARY AND CONFIDENTIAL INFORMATION - THE PROPERTY OF REGAL BELOIT AMERICA, INC. (REGAL). REGAL BELOIT AMERICA, INC. (REGAL) AND ITS AFFILIATES, AGENTS, CONTRACTORS, SUBSIDIARIES, AND SUPPLIERS, HEREBY DISCLAIM ANY AND ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. REGAL BELOIT AMERICA, INC. (REGAL) SHALL NOT BE RESPONSIBLE FOR ANY DAMAGE, INCLUDING CONSEQUENTIAL DAMAGES, ARISING FROM THE USE OF THIS DOCUMENT, EXCEPT AS EXPRESSLY APPROVED IN WRITING BY OWNER. THIS DOCUMENT SHALL BE RETURNED TO OWNER UPON REQUEST. IT MAY BE SUBJECT TO OTHER RESTRICTIONS UNDER APPLICABLE EXPORT CONTROL LAWS AND REGULATIONS.</small>			EDGES .003/.015 .076 .3811 CORNER FILLETS .02 [L51] MACHINED SURFACES .125 INCH/3175 mm DIM. SHOWN IN BRACKETS	THIRD ANGLE PROJECTION SIZE DWG NO 10778-003 SHEET 1	