



TECHNICAL INFORMATION

1. BEARING LUBRICATION DE: _____
ODE: _____
2. BEARING TYPE DE: _____
ODE: _____
3. WINDING TEMP. DETECTORS
NUMBER AND TYPE: 6xRTD(Pt0°C-100ohm)
LOCATION: IN STATOR SLOT
4. BEARING TEMP. DETECTORS
NUMBER AND TYPE: _____
5. SPACE HEATER 1 PHASE
VOLTS: 120 WATTS: 400
6. ROTATION: CCW VIEWED FROM NON DRIVE END
THIS MOTOR IS UNI DIRECTIONAL
7. MOTOR PAINT COLOR: _____
8. APPROX. WEIGHT: 9100 Lbs
9. ACCESORIES: _____

DRAWING LIST

| | | | | | |
|---|-------------|-----|-------------------|-----|---------|
| MAIN TERMINAL BOX 130-7532-02 | | | | | |
| AUX TERMINAL BOX FOR | | | | | |
| SPACE HEATER | 130-7520-50 | | | | |
| R.T.D. | 130-7522-51 | 1 | JACKING TO INLINE | RWS | 1/3/14 |
| THERMISTOR | N/A | | | | |
| | | 0 | FIRST ISSUE | MH | 8/15/05 |
| PRODUCTION # | N/A | NO. | REVISION | BY | DATE |

**MOTOR OUTLINE FOR
THREE PHASE INDUCTION MOTOR**

| | | | | | | |
|--|-------------------|---------------|--------------|--------------------------------------|---------------------------|-----------------|
| CUSTOMER NAME | | | | P.O. NO. | MOTOR TAG NO. | |
| OUTPUT HP | POLE 4 | VOLTAGE V | FREQUENCY Hz | FULL LOAD SPEED (min ⁻¹) | TOSHIBA MODEL NO. | |
| TYPE | FORM | INS. CLASS F | RATING CONT. | FRAME 5811/12 | S.F. | ENCLOSURE TEAAC |
| TOSHIBA INTERNATIONAL CORPORATION HOUSTON, TEXAS U.S.A. | | | | | | |
| 3rd ANGLE PROJ. | PREPARED BY: M.HO | DATE: 8/15/05 | CHECKED BY: | DATE: | DRAWING NO.: MDSL 0077-12 | REV. 1 |