



Ø4.0 NPT FOR MAIN T-BOX
GROUND TERMINAL

GROUND TERMINAL

TECHNICAL INFORMATION

- BEARING LUBRICATION DE: CHEVRON SRI
ODE: CHEVRON SRI
- BEARING TYPE DE: 6318C3
ODE: 6318C3
- WINDING TEMP. DETECTORS
NUMBER AND TYPE: N/A
LOCATION: N/A
- BEARING TEMP. DETECTORS
NUMBER AND TYPE: N/A
- SPACE HEATER N/A PHASE
VOLTS: — WATTS: —
- ROTATION: CCW VIEWED FROM NON DRIVE END
THIS MOTOR IS BI DIRECTIONAL
- MOTOR PAINT COLOR: GRAY
- APPROX. WEIGHT: 3800 Lbs
- ACCESORIES:

DRAWING LIST

MAIN TERMINAL BOX
130-7622-55

AUX TERMINAL BOX FOR
SPACE HEATER —
R.T.D. —
THERMISTOR —

PRODUCTION # —

UNITS: INCHES

NO.	REVISION	BY	DATE

MOTOR OUTLINE FOR
THREE PHASE INDUCTION MOTOR

CUSTOMER NAME				P.O. NO.	MOTOR TAG NO.	
OUTPUT HP	POLE 4/6	VOLTAGE 2.3/4k V	FREQUENCY Hz	FULL LOAD SPEED (min ⁻¹)	TOSHIBA MODEL NO.	
TYPE TIKK	FORM FCKW1	INS. CLASS F	RATING CONT.	FRAME N449TS	S.F.	ENCLOSURE TEFC
TOSHIBA INTERNATIONAL CORPORATION HOUSTON, TEXAS U.S.A.						
3rd ANGLE PROJ.	PREPARED BY: T. Ziebro	DATE: 2/26/04	CHECKED BY: <i>M.H.</i>	DATE:	DRAWING NO.:	REV.
					MDSL0071-12	0