



NOTES:

1. CONDUIT BOX CAN BE ROTATED IN 90° STEPS.
2. CONDUIT BOX CAN BE MOUNTED ON OPPOSITE SIDE BY REMOVING BRACKETS AND TURNING FRAME 180°.
3. NAMEPLATE TO BE READ FROM CONDUIT BOX SIDE OF MOTOR

575	182T	19.67	17.05	5.50	4.50	2.25	
675	184T	20.67	18.50	6.50	5.50	2.75	
DASH	FRAME	C	AG	B	2F	BS	

				TOLERANCES UNLESS SPECIFIED		<b>MARATHON ELECTRIC</b>		DRAWN DAH 06-20-2001	
				DEC. INCHES				CHK ML 07-13-2001	
3	REDRAWN IN AUTOCAD	TAT	06-24-2005	DRS	.X	±.1	TITLE OUTLINE - C' FACE - STEARNS BRAKE		APPD PH 07-16-2001
2	UPDATED SHAFT EXTENSION ON O.D.E. AND TACH WHEN USED MU37304	DRS	08-17-2001		.XX	±.03	180T FR. - BB - TS		SCALE 5=16
1	NEW DRAWING MU37304	DAH	07-16-2001		.XXX	±.005	MAT'L		REF
NO.	REVISION	BY & DATE		CHK	ANG	±7'30"	FINISH		PREV
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT						RFP	CAD FILE ss69135		SIZE B
						DIST LB	DRAWING NO. SS69135		PAGE OF 3