



DASH	FRAME	C	AG	B	2F	2FF	2FFF	BS
725	213T	21.03	15.84	7.00	5.50	-	-	2.75
875	215T	22.53	17.34	8.50	7.00	-	-	3.50
875	213/5T	22.53	17.34	8.50	7.00	5.50	5.50	3.50
1000	213T	23.78	18.59	9.75	8.25	5.50	5.50	4.12
1000	215T	23.78	18.59	9.75	8.25	7.00	7.00	4.12

- NOTES:
1. BOX CAN BE ROTATED IN 90° STEPS.
 2. BOX CAN BE MOUNTED ON OPPOSITE SIDE BY REMOVING BRACKETS AND TURNING FRAME 180°.
 3. NAMEPLATE TO BE READ FROM CONDUIT BOX SIDE OF MOTOR.

NO.	REVISION	BY & DATE	CHK	TOLERANCES UNLESS SPECIFIED	
				DEC.	INCHES
4	UPDATED DRAWING	TJW 05/04/2007	.X	$\pm .1$	
3	REVISED FOOT HOLE NOTE CN 29200-2241	NJS 02-18-2002	DRS	.XX	$\pm .03$
2	UPDATED C'BOX GEOMETRY CN 28426	DRS 01-25-2002	ML	.XXX	$\pm .005$
1	NEW DRAWING CN 28945	DRS 10-09-2002		.XXXX	$\pm .0005$
			ANG		$\pm 7'30''$

MARATHON ELECTRIC

TITLE OUTLINE
210 FR.

MAT'L.

FINISH

DRAWN DRS 11-15-2001

CHK ML 01-09-2002

APPD TB 01-09-2002

SCALE 1=5

REF

FMF

PREV

RFP	CAD FILE ss88574	SIZE A	DRAWING NO. SS88574	PAGE OF	REV. 4
DIST LB					