



NOTES:

- 5.250[133.35], .625[15.88], & 3.000[76.20] DIMENSIONS ARE MEASURED WITH SHAFT PULLED BY HAND TO THE LIMIT OF END PLAY.
- 7.250[184.15] DIM IS TO THE ϕ OF THE BOLT HOLES WITHIN .015[.38] .
- SHAFT ENDPLAY SHALL NOT EXCEED THE BRG INTERNAL AXIAL MOVEMENT. BEARING MOUNTING FITS SHALL BE AS RECOMMENDED BY THE BEARING MANUFACTURER.
- TWO BOTTOM 1/2-13 HOLES WILL BE AN EQUAL DISTANCE FROM THE PLANE OF THE BOTTOM OF THE FEET WITHIN .003[.08].
- MOTOR CAN BE CONVERTED TO HAVE AN F-2 CONDUIT BOX MOUNTING.

DRAWING REVISION A	REVISION BY A.ARREOLA	DATE 07-26-2016	TOLERANCES UNLESS OTHERWISE SPECIFIED DEC. INCH mm ANGLE .XX ±0.02 [±2.5] ±0.5° .XXX ±0.005 [±0.127] .XXXX ±0.0005 [±0.0127]	DRAWN BY: A.ARREOLA	Regal Beloit America, Inc.	
ECO DESCRIPTION NEW MODEL RELEASE	APPROVED BY A.ARREOLA	DATE 07-26-2016	REMOVE BURRS & BREAK SHARP EDGES .003[.015] [0.76/.381] CORNER FILLETS .02 [51] MACHINED SURFACES 125/INCH 3.2/mm SHOWN IN [BRACKETS]	APPROVED BY: A.ARREOLA		
<small>COPYRIGHT REGAL BELOIT AMERICA, INC. ALL RIGHTS RESERVED. PROPRIETARY AND CONFIDENTIAL INFORMATION - THIS DOCUMENT IS THE PROPERTY OF REGAL BELOIT AMERICA, INC. (OWNER) AND CONTAINS OWNER'S PROPRIETARY INFORMATION. ANY PERSON, CORPORATION OR OTHER FIRM RECEIVING IT IS DEEMED, BY RECEIVING IT, TO AGREE THAT IT, AND/OR ANY PART OF IT, SHALL NOT BE DISCLOSED TO ANY PERSON, CORPORATION OR OTHER ENTITY, DUPLICATED, AND/OR USED, EXCEPT AS EXPRESSLY APPROVED IN WRITING IN ADVANCE BY OWNER. THIS DOCUMENT SHALL BE RETURNED TO OWNER UPON REQUEST. IT MAY BE SUBJECT TO CERTAIN RESTRICTIONS UNDER APPLICABLE EXPORT CONTROL LAWS AND REGULATIONS.</small>				DATE: 07-26-2016	DESCRIPTION MODEL-IHP OUTLINE	
				REFERENCE -	MATERIAL -	PROCESS/FINISH -
				THIRD ANGLE PROJECTION	SIZE DWG NO C 610-0010	SHEET 1