



- NOTES:
1. CONDUIT BOX CAN BE ROTATED IN 90° STEPS.
 2. CONDUIT BOX CAN BE MOUNTED ON OPPOSITE SIDE BY REMOVING BRACKETS AND TURNING FRAME 180°.
 3. NAMEPLATE TO BE READ FROM CONDUIT BOX SIDE OF MOTOR.

DASH	FRAME	B	C	2F	BS
1325	284T	12.63	24.94	9.50	5.50
1512	286T	14.50	26.81	11.00	6.44

8	REMOVED SCREENS FROM FRAME MUB0418	JJB 06/27/2007		TOLERANCES UNLESS SPECIFIED		DRAWN MH 04-22-1998		
7	ADDED SCREENS IN FRAME	RJW 01-12-2004	ML DEC.	INCHES		CHK ML 04-25-1998		
6	ADDED RODENT SCREENS TO REAR BKT. MU41906	RWR 08-30-2004	ML .X	±.1	APPD BW 04-271998			
5	REDRAWN IN AUTOCAD	RWR 08-12-2004	ML .XX	±.02	TITLE OUTLINE	SCALE 1=4		
4	ADDED RODENT SCREENS TO FRONT BRKT. MU41906	CAV 01/13/2005	ML .XXX	±.005	280 FR. - TS - DR.PR. - CAST IRON	REF MU63849		
3	REVISED TO NEC CONDUIT BOX CN28428	BJW 02-04-2000	ML .XXXX	±.0005	MATL	FMF		
NO.	REVISION	BY & DATE	CHK ANG	±7'30"	FINISH	PREV		
	THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT			RFP 04-27-1998	CAD FILE ss207470	SIZE B	DRAWING NO. SS207470	PAGE OF 8
			DIST LB					