



- NOTES:
1. BOX CAN BE ROTATED IN 90° STEPS.
 2. BOX CAN BE MOUNTED ON OPPOSITE SIDE BY REMOVING BRACKETS AND TURNING FRAME 180°.
 3. NAMEPLATE TO BE READ FROM CONDUIT BOX SIDE OF MOTOR.

3/8-16 UNC-2B
(SEE B.O.M. FRAME FOR REQUIREMENT)

DASH	FR.	C	B	BS	2F
1150	324-TS	27.37	13.00	5.25	10.50
1300	324/6TS	28.87	14.50	6.00	12.00

NO.		REVISION	BY & DATE	CHK	ANG	±7°30"	FINISH	PREV
4		ADDED NOTE TO 3/8-16UNC-2B	RJW 03-28-2008	ML	.X	±.1		
3		REVISED DRAWING	RJW 04-05-2007		.XX	±.03		
2		REDRAWN IN AUTOCAD	RWR 09-09-2004		.XXX	±.005		
1		NEW DRAWING MU42162	CAV 06-21-2002	ML	.XXX	±.0005		
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT				RFP			CAD FILE	ss301080
				DIST	LB			SIZE
						B	DRAWING NO.	SS301080
						PAGE 1 OF 1		REV.
								4



TITLE OUTLINE
320TS FRAME -TEFC

DRAWN CAV 06-19-2002
CHK ML 06-20-2002
APPD DD 06-21-2002

SCALE 5=23
REF
FMF