



(1) 1/2-14 NPT
(PLUGGED)

(4) 3/8-16 UNC-2B x .56
DEEP ON A ø5.875 B.C.

SPECIAL FEATURES:

- 1) SHAFT SEALS & V-RING
- 2) DRAIN HOLES IN BOTH ENDBELLS & CONDUIT BOX
- 3) GASKETS THROUGHOUT
- 4) STAINLESS STEEL SHAFT, HARDWARE & NAMEPLATE

DASH NO.	"C"	"AD"
450	9.56	4.50
500	10.06	5.00
550	10.56	5.50
600	11.06	6.00
650	11.56	6.50
700	12.06	7.00
750	12.56	7.50
800	13.06	8.00

MAXIMUM FACE RUNOUT .004 T.I.R.
MAXIMUM PILOT ECCENTRICITY .004 T.I.R.
PERMISSIBLE SHAFT RUNOUT .002 T.I.R.

		TOLERANCES UNLESS SPECIFIED		MARATHON ELECTRIC		DRAWN
		DEC.	INCHES	TITLE		MGM 2/13/03
		.X	±.1	OUTLINE - 56C FRAME		CHK
		.XX	±.03	TENV - "C" FACE		APPD
		.XXX	±.005	MAT'L. WASHGUARD		SCALE 3=8
01 ADDED DRAIN DECAL PER ISAAC 11-1331		PG 05/03/11	.XXXX ±.0005	FINISH		REF 033694
NO.	REVISION	BY & DATE	CHK ANG ±7'30"	RFP		FMF
			DIST	CAD FILE 034960ME	SIZE A	PREV
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT				DRAWING NO. 034960-ME		REV.